

# Container chassis

for shipping containers



Reliable, no matter where.





# Container chassis

for shipping containers



*The LAG container chassis is renowned for its sturdy, robust design that can withstand years of heavy-duty operations in ports. Because every kilo counts, we offer a lightweight version for each model. The new multifunctional extendable container chassis has been developed for the demanding haulier.*



# Container chassis

for shipping containers

## 40' fixed

LAG's fixed, non-extendable 40 ft container chassis will make your loading and unloading operations run smoother. The container arms are carefully positioned for optimum weight distribution and driving comfort. You can choose from the following configurations:  
Straight chassis for transport of 1x40 ft, 1x30 ft, 2x20 ft and 1x20 ft central containers.  
Gooseneck container chassis for transporting 1x40 ft and 2x20 ft containers. [1]



## 45' fixed

Keep it simple. With the LAG gooseneck container chassis, you can easily transport 45 ft containers. Still looking for the latest in weight savings? Then you should opt for our lightweight version. [2]





# Container chassis

for shipping containers



## 40/45' fixed

The LAG 40/45 ft gooseneck container chassis can carry both 40 ft and 45 ft containers. Simply swap the position of the front container arm and slide the extendable bumper in or out to switch between different container sizes. This model is also available in a lightweight version. [3]



## Multifunctional

Our extendable multi-purpose container chassis with newly developed gooseneck container chassis can be extended at the front, rear or centre for maximum operational flexibility. The chassis is designed for the following containers: 45 ft HC, 40 ft ISO and HC with or without a tunnel, 30 ft, 20 ft central or rear, 2x20 ft or 13.60 m sea containers. [4]





Follow us  
**f** **ig** **in**

LAG Trailers NV · Kanaallaan 54 · 3960 Bree · Belgium  
Tel: +32 89 46 91 11 · [www.lag.eu](http://www.lag.eu) · [info@lag.be](mailto:info@lag.be)